

## Section 12: References

- Blokpoel, H. and G.D.Tessier. 1996. Atlas of colonial waterbirds nesting on the Canadian Great Lakes, 1989-91. Part 3. Cormorants, gulls, and island-nesting terns on the lower Great Lakes system in 1989. Tech. Rep. Ser. No. 225. [Place of publication unknown]: Canadian Wildlife Service, Ontario Region. 74 p.
- Budd, J.W, A.M. Beeton, R.P. Stumpf, D.A. Culver and W.C. Kerfoot. 2001. Satellite observations of *Microcystis* blooms in western Lake Erie and Saginaw Bay, Lake Huron. Verh. Int. Ver. Limnol. 27: (in press).
- Bur, M. T., S.L. Timirello, C.D. Lovell, and J.T. Tyson. 1999. Diet of the double-crested cormorant in western Lake Erie. In *Symposium on double-crested cormorants: population status and management issues in the Midwest* (technical coordinator M. Tobin), pp. 73-84. U.S. Dept. of Agriculture, Animal and Plant Health Inspection Service. Technical Bulletin No. 1879.
- Carter, H.R., A.L. Sowls, M.S. Rodway, U.W. Wilson, R.W. Lowe, G.J. McChesney, F. Gress and D.W. Anderson. 1995. Population size, trends and conservation problems of the double-crested cormorant on the Pacific coast of North America. Colonial Waterbirds 18 (Special Publication 1):189-215.
- Charlebois, P.M., L.D. Corkum, D.J. Jude and C. Knight. 2001. The round goby invasion: current research and future needs. J. Great Lakes Res. 27:263-266.
- Charlton, M.N., R. LeSage, and J.E. Milne. 1999. Lake Erie in transition: the 1990s. State of Lake Erie (SOLE) - Past, Present and Future. pp. 97-123. Edited by M. Munawar, T. Edsall & I.F. Munawar. Ecovision World Monograph Series. Backhuys Publishers, Leiden, The Netherlands.
- Colavecchia, M., S. Ludsin, P. Bertram, R. Knight, S. George, H. Biberhofer and P. Ryan. 2000. Identification of ecosystem alternatives for Lake Erie to support development of ecosystem objectives. Lake Erie Lakewide Management Plan (LaMP) Technical Report Series.
- Corkum, L.D., E.L. Mills, J.H. Leach and T.B. Johnson. 2001a. Lake Erie - A history of fish invasions and trophic trends for the future. In: J.J.H. Ciborowski, M.N. Charlton, R.G. Kreis & J.P. Reutter (Eds). Lake Erie at the Millennium: Changes, Trends and Trajectories. Canadian Scholars' Press Inc, Toronto.
- Corkum, L.D., M.R. Sapota and K.E. Skora. 2001b. The round goby, *Neogobius melanostomus*, a fish invader on both sides of the Atlantic Ocean. *Biological Invasions* (submitted).
- Culver, D. Personal communication. The Ohio State University, Columbus, Ohio.
- Dextrase, A. and E. Paleczny. 2000. Public outreach efforts to reduce the risk of aquarium fish introductions. p.22 Abstracts of the 10<sup>th</sup> International Aquatic Nuisance Species and Zebra Mussel Conference, Toronto, ON.
- Domske, H. Personal communication, New York Sea Grant, Buffalo, New York.
- Elton C. 1958. The ecology of invasions by animals and plants. Chapman and Hall, London, 181 pp.

Goulden, C.L., D. Tomljanovich, D. Kreeger and E. Corney. 1995. The invasion of *Daphnia lumholtzi* Sars (Cladocera, Daphniidae) into a North American reservoir. Pages 9-38 In: S.W. Hamilton, D.S. White, E.W. Chester, and A.F. Scott (eds.). 1995. Proceedings of the sixth symposium on the natural history of the lower Tennessee and Cumberland River Valleys. The Center for Field Biology, Austin Peay State University, Clarksville, Tennessee.

Hatch, J.J. 1995. Changing populations of double-crested cormorants. Colonial Waterbirds 18 (Special Publication 1): 8-24.

Havel, J.E. and P.D.N. Hebert. 1993. *Daphnia lumholtzi* in North America: another exotic zooplankton. *Limnol. Oceanogr.* 38:1837-1841.

Havel, J.E., W.R. Mabee, and J.R. Jones. 1995. Invasion of the exotic cladoceran *Daphnia lumholtzi* into North American reservoirs. *Can. J. Fish. Aquat. Sci.* 52: 151-160.

International Joint Commission. 1988. Revised Great Lakes Water Quality Agreement of 1978, as amended by Protocol signed November 18, 1987. Consolidated by the International Joint Commission, United States and Canada.

Jackson, J.A. and B.J.S. Jackson. 1995. The double-crested cormorant in the South-Central United States: Habitat and population changes of a feathered pariah. Colonial Waterbirds 18 (Special Publication 1): 118-130.

Janssen, J. and D.J. Jude. 2001. Recruitment failure of mottled sculpin, *Cottus bairdi*, in Calumet Harbor, southern Lake Michigan, induced by the newly introduced round goby *Neogobius melanostomus*. *J. Great Lakes Research* 27:319-328.

Johnson, T. Personal communication. Ontario Ministry of Natural Resources, Wheatley, Ontario.

Knight, C. Personal communication. Division of Wildlife, Ohio Dept. of Natural Resources, Fairport Harbor, Ohio.

Krohn, W.B., R.B. Allen, J.R. Moring, and A.E. Hutchinson. 1995. Double-crested cormorants in New England: Population and management histories. Colonial Waterbirds 18 (Special Publication 1): 99-109.

Kwavnick, B. and J. Mortimer. 1999. Recreational water quality impairments (bacteria levels and beach postings). Lake Erie LaMP Technical Report No. 12.

Lake Erie Committee. 1997. A fish community goal and objectives for Lake Erie. Lake Erie Committee, Great Lakes Fishery Commission.

Lake Erie Committee. 2002. Fish community goals and objectives for Lake Erie. Lake Erie Committee, Great Lakes Fishery Commission. (under development as of Feb. 2002).

Lake Erie LaMP 2000. The Lake Erie Lakewide Management Plan. Prepared by the Lake Erie LaMP Work Group under the direction of the Lake Erie LaMP Management Committee. [Julie Letterhos – Ed]. Environment Canada, Ontario Region and U.S. Environmental Protection Agency, Region 5.

Lambert, L., J. Robinson, M. Shieldcastle and M. Austen. 2001. Executive Summary: Degraded wildlife populations and loss of wildlife habitat. Tech. Rept. No. 5. Lake Erie Lakewide Management Plan (LaMP) Technical Report Series.

Lodge, D.M. 1993. Species invasions and deletions: community effects and responses to climate and habitat change. In: P.M. Kareiva, J.G. Kingsolver, and R.B. Huey (eds) Biotic interactions and global change, pp. 367-387. Sinauer Associates Inc., Sunderland, MA.

MacIsaac, H. Personal communication. University of Windsor.

Makarewicz, J.C. and P. Bertram. 1991. Evidence for the restoration of the Lake Erie ecosystem. BioScience 41: 216-223.

Metcalfe-Smith, J.L., G.L. Mackie, J. Di Maio, and S.K. Staton. 2000. Changes over time in the diversity and distribution of freshwater mussels (Unionidae) in the Grand River, Southwestern Ontario. J. Great Lakes Res. 26(4): 445-459.

Metcalfe-Smith, J.L., S.K. Staton, G.L. Mackie and N.M. Lane. 1998a. Changes in the biodiversity of freshwater mussels in the Canadian waters of the lower Great Lakes drainage basin over the past 140 years. J. Great Lakes Res. 24(4): 845-858.

Metcalfe-Smith, J.L., S.K. Staton, G.L. Mackie and N.M. Lane. 1998b. Selection of candidate species of freshwater mussels (Bivalvia: Unionidae) to be considered for national status designations by COSEWIC. Canadian Field-Naturalist 112(3): 425-440.

Muzinic, C.J. 2000. First record of *Daphnia lumholtzi* Sars in the Great Lakes. J. Great Lakes Res. 26:352-354.

Obert, E. Personal communication. Pennsylvania Sea Grant, Erie, Pennsylvania.

Section 12

77

Ontario Soil and Crop Improvement Association Program Division. 2001. Guelph, Ontario.

Painter, S., C. Marvin, F. Rosa, T.B. Reynoldson, M.N. Charlton, M. Fox, P.A. Lina Thiessen and J.F. Estenik. 2001. Sediment contamination in Lake Erie: A 25-Year retrospective analysis. J. Great Lakes Res. 27(4): 434-448.

Painter, S., D. N. Myers, and J. Letterhos. 2000. Characterization of data and data collection programs for assessing pollutants of concern to Lake Erie. Lake Erie Lakewide Management Plan Technical Report.

Rheaume, S.J., D.T. Button, D.N. Myers, and D.L. Hubbell. 2001. Areal distribution and concentrations of contaminants of concern in surficial streambed and lakebed sediments, Lake Erie-Lake Saint Clair drainages, 1990-97. Water Resources Investigations Report 00-4200, U.S. Dept. of the Interior, U.S. Geological Survey, Denver Colorado, USA.

Ricciardi, A. and H.J. MacIsaac. 2000. Recent mass invasion of the North American Great Lakes by Ponto-Caspian species. Trends in Ecology and Evolution 15: 62-65.

Roberts, P.A. Personal Communication, Ontario Ministry of Agriculture, Food and Rural Affairs, December, 2001.

Schreier, T.M., V.K. Dawson, W.J. Larson, and S.M. Schleis. 2001. Piscicides as an emergency tool for controlling range expansion of the round goby (*Neogobius melanostomus*) in the Illinois Waterway. Int. Assoc. for Great Lakes Res. Abstracts from the 44<sup>th</sup> Conference on Great Lakes Research, June 10-14, 2001, Green Bay, Wisconsin.

Shieldcastle, M. Personal communication. Division of Wildlife. Ohio Dept. of Natural Resources. Crane Creek Wildlife Research Station, Oak Harbor, Ohio.

Smith.S.L., D.D. MacDonald, K.A, Keenleyside, C.G. Ingersoll and L.J. Field. 1996. A preliminary evaluation of sediment quality assessment values for freshwater ecosystems. *J. Great Lakes Res.* 22(3): 624-638.

Steingraeber, M.T. and P.A. Thiel. 2000. The round goby (*Neogobius melanostomus*): another unwelcome invader in the Mississippi River basin. *Transactions of the 65<sup>th</sup> North American Wildlife and Natural Resources Conference* pp. 328-344.

Thoma, R. Personal communication. Ohio Environmental Protection Agency, Twinsburg, Ohio.

Trapp, J.L., S.J. Lewis, and D.M. Pence. 1999. Double-crested cormorant impact on sport fish: Literature review, agency survey, and strategies. In *Symposium on double-crested cormorants: population status and management issues in the Midwest* [ed. M. Tobin], pp. 87-96. U.S. Dept. Agriculture, Animal and Plant Health Inspection Service. Tech. Bull. No. 1879.

Troutman, M.B. 1981. The fishes of Ohio. Revised edition. The Ohio State University Press in collaboration with the Ohio Sea Grant Program and Center for Lake Erie Area Research.

Tyson, L.A., J.L. Belant, F.J. Cuthbert, and D.V. Weseloh. 1999. Nesting populations of double-crested cormorants in the United States and Canada. In *Symposium on double-crested cormorants: population status and management issues in the Midwest*, [ed. M. Tobin], pp. 17-25. U.S. Dept. Agriculture, Animal and Plant Health Inspection Service. Tech. Bull. No. 1879.

U.S. Fish and Wildlife Service. 2001. Draft Environmental Impact Statement: Double-crested cormorant management. 174 p.

Vanderploeg, H.A., J.R. Liebig, W.W. Carmichael, M.A. Agy, T.H. Johengen, G.L. Fahnenstiel, and T.F. Nalepa. 2001. Zebra mussel (*Dreissena polymorpha*) selective filtration promoted toxic *Microcystis* blooms in Saginaw Bay (Lake Huron) and Lake Erie. *Can. J. Fish. Aquat. Sci.* 58: 1208-1221.

Weseloh, D.V., P.J. Ewins, J. Struger, P. Mineau, C.A. Bishop, S. Postupalsky and J.P. Ludwig. 1995. Double-crested cormorants in the Great Lakes: changes in population size, breeding distribution, and reproductive output between 1913 and 1991. *Colonial Waterbirds* 18:48-59.